



MADE
IN
INDIA

Refreshing Air In Your Environment !!!

A Complete Range of Industrial & Commercial Air Coolers



Your Reliable Solution For Cooling & Global Warming

Why Air Coolers?

- ✧ It is the most prominent product in market for cooling large areas.
- ✧ Provides ideal cooling with water; a complete natural process.
- ✧ There is no emission of harmful gasses or hot air while working of the Air Cooler.
- ✧ Air Coolers has the best Power consumption to cooling ratio amongst any other cooling products. (Air Conditioner / Fan / Mist Fan)
- ✧ Air Coolers enhances the air circulation while adding ample amount of Oxygen in the given area.
- ✧ Air Coolers are comparatively easy to maintain, transport and fix.
- ✧ Due to water cooled breeze, Air Coolers provide fresh air that refreshes any person enjoying the breeze.
- ✧ A relatively economical solution for all yours cooling problems.

ANTARCTICA®



"Air Cooler Colour Combination" Reg. Copyright

"Day's Warranty" Reg. Copyright



Adjustable air quantities to suit all weather



Oxygen rich fresh air delivered to you



Less than 1/30 the cost of refrigerated air conditioning to run




A complete natural process



All 100% fresh outside air

HSN CODE
8479

Technical Specifications		ANTARCTICA®	
Motor Type / Winding		Single Phase-3 Speed / Copper	
RPM / Wattage / HP		900 / 490* W / 0.67* Hp	
Fan Type / Size / Noise		Aluminium Axial Fan/30 Inch/68* db	
Air Flow / CFM		18000* CMH / 10500* CFM	
Cooling Pad Size		1095 x 100 x 1180 mm	
Physical Parameters		Dimensions (mm)	Weight (Kg)
AK09	PC (Grill)	1130 x 600 x 1550	49
	LC (Louver)	1130 x 705 x 1550	54
AK12	PC (Grill)	1130 x 600 x 1785	56
	LC (Louver)	1130 x 705 x 1785	61
AK20	PC (Grill)	1130 x 600 x 1985	62
	LC (Louver)	1130 x 705 x 1985	67



HIMALAYA®




30 Ltr.

60 Ltr.

170 Ltr.

"Day's Warranty" Reg. Copyright



Adjustable air quantities to suit all weather



Oxygen rich fresh air delivered to you



Less than 1/30 the cost of refrigerated air conditioning to run




A complete natural process



All 100% fresh outside air

HSN CODE
8479

Technical Specifications		HIMALAYA®	
Motor Type / Winding		Single Phase-3 Speed / Copper	
RPM / Wattage / HP		900 / 175* W / 0.24* Hp	
Fan Type / Size / Noise		Axial Fan / 21 Inch / 63* db	
Air Flow / CFM		6000* CMH / 3530* CFM	
Cooling Pad Size		770 x 100 x 700 mm	
Physical Parameters		Dimensions (mm)	Weight (Kg)
HK03	PC (Grill)	850 x 480 x 1240	29
	LC (Louver)	850 x 480 x 12405	31
HK06	PC (Grill)	850 x 480 x 1440	30
	LC (Louver)	850 x 480 x 1440	32
HK17	PC (Grill)	850 x 480 x 1745	34
	LC (Louver)	850 x 480 x 1745	36



TENTCOOLER®



Adjustable air quantities to suit all weather



Oxygen rich fresh air delivered to you



Less than 1/30 the cost of refrigerated air conditioning to run



A complete natural process




All 100% fresh outside air

HSN CODE
8479



Technical Specifications		TENTCOOLER®	
Motor Type / Winding		Single Phase-3 Speed/Aluminium	
RPM / Wattage / HP		900 / 490* W / 0.67* Hp	
Fan Type / Size / Noise		Plastic Axial Fan/30 Inch/68* db	
Air Flow / CFM		18000* CMH / 10500* CFM	
Cooling Pad Size		1095 x 100 x 1180 mm	
Physical Parameters		Dimensions (mm)	Weight (Kg)
TK09	PB (Grill)	1130 x 600 x 1550	46
	LB (Louver)	1130 x 705 x 1550	51
TK12	PB (Grill)	1130 x 600 x 1680	48
	LB (Louver)	1130 x 705 x 1680	53
TK20	PB (Grill)	1130 x 600 x 1880	54
	LB (Louver)	1130 x 705 x 1880	59



MASTCOOLER®



"Air Cooler Colour Combination" Reg. Copyright

"Day's Warranty" Reg. Copyright



Adjustable air quantities to suit all weather



Oxygen rich fresh air delivered to you



Less than 1/30 the cost of refrigerated air conditioning to run




A complete natural process



All 100% fresh outside air

HSN CODE
8479

Technical Specifications		MASTCOOLER®	
Motor Type / Winding		Single Phase-1 & 3 Speed/Aluminium	
RPM / Wattage / HP		900 / 490* W / 0.67* Hp	
Fan Type / Size / Noise		Plastic Axial Fan/30 Inch/68* db	
Air Flow / CFM		18000* CMH / 10500* CFM	
Cooling Pad Size		1095 x 100 x 1180 mm	
Physical Parameters		Dimensions (mm)	Weight (Kg)
K109MW (Grill) K309LW (Louver)		1130 x 600 x 1550	42
		1130 x 705 x 1550	47
K112MW (Grill) K312LW (Louver)		1130 x 600 x 1680	49
		1130 x 705 x 1680	54
K120MW (Grill) K320LW (Louver)		1130 x 600 x 1880	55
		1130 x 705 x 1880	60



* Tested under ideal conditions

Utilities

